[27th March 1969

THE HON. THIRUMATHI SATHYAVANIMUTHU : We shall consider.

THIRUMATHI S. MANJUBAASHINI : Mr. Chairman, Sir, will the Hon. Minister kindly tell us how long the children are kept in the reception homes? What is the duration for which they are kept there? Is there any rule providing that children should be kept there for one week, ten days or a month?

THE HON. THIRUMATHI SATHYAVANIMUTHU : That depends on the disposal of the case. As soon as the judgment is delivered they are sent to their homes.

THIRUMATHI S. MANJUBAASHINI : Mr. Chairman, Sir, we understand sometimes it takes months for the disposal of the case and the children are kept in the same place. As the other hon. Member said, the place is so very overcrowded and barely any amenities are given. Very often delinquent children are mixed up with the destitute children and it always happens that the destitute become delinquent children having been in the reception home for such a long time. Will the Government think of providing more accommodation for them?

THE HON. THIRUMATHI SATHYAVANIMUTHU : It may me considered, Sir.

Cholera

* 243 *Q.*—THIRU R. KRISHNASWAMY NAIDU (on behalf of THIRU N. R. THIAGARAJAN) : Will the Hon. the Minister for Health and Harijan Welfare be pleased to state—

(*a*) the number of persons who died due to Cholera in Madras City in November 1968 ; and

(*b*) the reason for the epidemic ?

காலரா

திரு. ஆர். கிருஷ்ணஸ்வாமி நாயுடு: (திரு என். ஆர். தியாகராஜன் சார்பில்) : மாண்புமிகு சுகாதார-அரிசன நல அமைச்சர் அவர்கள் கீழ்க் கண்ட விளுக்களுக்குப் பதிலளிக்க வேண்டுகிறேன்—

(அ) 1968 நவம்பரில் சென்னை நகரில் காலராவினுல் எத்தனை பேர் இறந்தார்கள் ?

(இ) காலரா பரவியதற்கான காரணமென்ன ?

மாண்புமிகு (திருமதி) டாக்டர் சத்தியவாணி முத்து. (அ) 53 பேர்கள்.

(இ) அக்டோபர் முதல் டிசம்பர் வரையுள்ள மாதங்கள் காலரா நோய் சென்னை நகரில் பரவுவதற்கு எதுவான மாதங்களாகும். இது 1968 ஜூலை முதல் செப்டம்பர் வரையில் சென்னை மாநகரில் பெரிதும் பரவி நின்ற இன்புளுயென்ஸா தொத்து நோயினுல் பெரிதும் அதிகரித்தது. இன்புளுயன்ஸா தொத்து நோயை அடுத்து வரும் காலரா எப்போதும் கடுமையானதாக இருக்கும். மேலும் வட கிழக்கு பருவ மழை தவறியதால் இந்த நோய் அதிக அளவில் பரவுவதற்கு எதுவாயிற்று.